Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	23	("5740447" "6292940" "5469572" "5857105" "6578194" "6295644" "6463582" "6327704" "6064818" "5940622" "6721876").pn.	US-PGPUB; USPAT; EPO; JPO; DERWEN T;	OR	ON	2004/09/02 12:01
			IBM_TDB			
S2	, 23	(US-5740447-\$ or US-5857105-\$ or US-5940622-\$ or US-6064818-\$ or US-6292940-\$ or US-6295644-\$ or US-6327704-\$ or US-6463582-\$ or US-6578194-\$ or US-6721876-\$ or	USPAT; DERWEN T	OR	OFF	2004/09/02 11:47
		US-5469572-\$).did. or (US-6721876-\$ or US-6578194-\$ or US-6295644-\$ or US-6064818-\$ or DE-19945992-\$ or JP-2000066902-\$ or US-5940622-\$ or EP-932100-\$ or US-5857105-\$ or	a			
		JP-08241196-\$ or US-5469572-\$ or ZA-6701970-\$) did			-	
S3 -	1	S1 and (link\$3 same (table OR segments)) and substitut\$3 and library and re\$1locat\$3	US-PGPUB; USPAT;	OR	ON	2004/09/02 11:1
		Substitutes and notary and revisioning	EPO; JPO; DERWEN		*	
			T; IBM_TDB	·		
S4	120	717/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWEN	OR	ON	2004/09/02 11:1
		-1	T; IBM_TDB			
S5	2	S4 and (link\$3 same (table OR segments)) and substitut\$3 and library and re\$1locat\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T:	OR .	ON	2004/09/02 11:1
		,	IBM_TDB			
S6	1186	717/151-161.ccls	US-PGPUB; USPAT; EPO; JPO; DERWEN T;	OR	ON	2004/09/02 11:
			IBM_TDB			
S7	3	S6 and (substitute with (segments OR stub OR code)) and (link\$3 with (segments OR stub OR code)) and (table with address) and (shar\$3 with library)	US-PGPUB USPAT; EPO; JPO; DERWEN T;	OR	ON	2004/09/02 11:
			IBM_TDB		١.	
S8	. 4	(generat\$3 with stub with code) and ((shared OR remote) with (library OR module OR dll)) and (address with table) and replac\$3 and	USPAT; DERWEN T	OR	OFF	2004/09/02 11:

V.

5	39	46	717/164 ccls.	US-PGPUB, USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2004/09/02 12:36
	510	6	S9 and register and table and re\$11ocat\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2004/09/02 12:05
	S11	664	procedure with link\$3 with table	US-PGPUB; USPAT; EPO; JPO; DERWEN T;	OR	ON	2004/09/02 12:06
				IBM_TDB			
	S12	69	procedure with linkage with table	US-PGPUB; USPAT; EPO; JPO; DERWEN	OR	ON	2004/09/02 12:06
				T, IBM_TDB	1		
	S13	13	S12 and register and re\$1locat\$4 and table	US-PGPUB; USPAT; EPO; JPO; DERWEN	OR	ON	2004/09/02 12:36
				T; IBM_TDB			
	S14	3	S9 and breakpoint	US-PGPUB USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR ,	ON	2004/09/02 12:35
	S15	150	2 717/151-164.ccls.	US-PGPUE USPAT; EPO; JPO; DERWEN T;	; OR	ON	2004/09/02 12:36
			* - 2	IBM_TDB			
	S16	1	6 S15 and register and re\$1locat\$4 and table as breakpoint	US-PGPUH USPAT; EPO; JPO; DERWEN T; IBM_TDB		ОИ	2004/09/02 12:38
	S17		8 S15 and (register with address\$3) and re\$1locat\$4 and table and breakpoint	US-PGPU USPAT; EPO; JPO DERWEN	,	ON	2004/09/02 12:52
				T; IBM_TDE	3		

						OB	ON		2004/09/02 12:52
S	18		S1	and breakpoint	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON		2004/07/02 12:32
			١	5923882".URPN.	USPAT	OR	ON		2004/09/02 12:52
	\$19 \$20	0	(()	Sylared adj module) same link\$3 same iddress) and table and annotat\$4 and reak\$1point\$2.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON		2004/09/02 13:44
	S21	0	a	shared adj module) and link\$3 same address ind table and annotat\$4 and break\$1point\$2	US-PGPUB; USPAT; EPO; JPO; DERWEN. T; IBM_TDB	OR	40	1	2004/09/02 13:44
	S22	4		(shared with module) and link\$3 same address and table and annotat\$4 and break\$1point\$2	US-PGPUB; USPAT; EPO; JPO; DERWEN T;	OR	Oì	١.	2004/09/02 13:47
	S23	. (PLT and GOT and link\$3 and address\$2 and shar\$3 and annotat\$4 and break\$1 point\$2	IBM_TDB US-PGPUB USPAT; EPO; JPO; DERWEN T;	OR	0	N	2004/09/02 13:48
					IBM_TDB				
	S24		2	PLT and GOT and link\$3 and address\$2 and shar\$3 and break\$1point\$2	US-PGPUE USPAT; EPO; JPO; DERWEN T;		C	N	2004/09/02 13:48
					IBM_TDB			ON	2004/09/02 13:51
	S25		53	PLT and GOT and link\$3 and address\$2 and shar\$3	EPO; JPO DERWEN T;				2004/09/02 13.31
					IBM_TDE		- 1	- · ·	2004/09/02 14:55
	S26	10	06	717/163.ccls.	US-PGPU USPAT; EPO; JPC DERWEN T;);	1	NC	2004/09/02 14:33
		1			IBM_TDI	3			
	S27	. 1	47	717/163-164.ccls.	US-PGPU USPAT; EPO, JPO DERWE),		ON	2004/09/02 14:56
	-				T; IBM_TD	В			0.2

		T	US-PGPUB;	OR .	ON	2004/09/02 16:35
S28	13	S27 and breakpoint	USPAT;			
.	ł		EPO; JPO;		1	
1	1		DERWEN	I	1 1	1
	1		T;	ĺ		1
	1	· .	IBM_TDB	1		: (00 (00 45:46
S29	4	breakpoint with link\$3 with (stub OR	US-PGPUB;	OR	ON	2004/09/02 15:16
347		segment)	USPAT;	-		
		,	EPO; JPO; DERWEN			
ı	1	1.	T;			1
1			IBM_TDB			
		breakpoint with link\$3 with (stub OR segmen	nt US-PGPUB;	OR	ON	2004/09/02 15:18
S30	5	OR module)	USPAT;			
		OR module)	EPO; JPO;			
			DERWEN			
			T; IBM_TDB	- 0		4
			US-PGPUB;	OR	ON	2004/09/02 15:19
S31	- 4	4 ("6026235" "6760997").pn.	USPAT;	OK.	1	
			EPO; JPO;	1.		
			DERWEN	1	- [8 8
		1	T;			
		N A	IBM_TDB		ON	2004/00/02 15:33
S32	-	7 "5822787".URPN.	USPAT	OR	ON	2004/09/02 15:33
S33		4 ("5175828" "5187791" "5247678" "5325494").PN.	USPAT	OR	ЮŅ	2004/09/02 15:35
			US-PGPUB;	OR .	ON	2004/09/02 16:36
S34	219	9 breakpoint with entry	USPAT;			
			EPO; JPO;		3	
			DERWEN			
1	1	1	T; IBM_TDB	-36-		
		·		3; OR	ON	2004/09/02 16:36
S35	1	10 S34 and 717/151-164.ccls.	US-PGPUB USPAT;	; OK	OIN	2004/ 02/ 02
		=	EPO; JPO;			
	10		DERWEN			
			T;			
			IBM_TDB			(00.45.04
S36		65 break\$1point\$2 same ((function OR	US-PGPUB	B; OR	ON	2004/09/02 17:04
550	'	procedure) with entr\$4)	USPAT;			
		processing	EPO; JPO; DERWEN			8 1
			DERWEN T;			4
		÷	IBM_TDB	.		
		(as k82 same (fine	_	1	ON	2004/09/02 17:04
S37	1	break\$1point\$2 same (patch\$3 same (funct OR procedure) with entr\$4)	USPAT;	"	_ 1	
		OR procedure) with chity-1	EPO; JPO;	;		-
	1		DERWEN	1		
11	l		T;	3		- 1

						1
S38		breakpoint and debug\$4 and (code with patching)	US-PGPUB; USPAT; EPO; JPO; DERWEN	OR	ON	2004/09/02 17:33
			T; IBM_TDB			
339	16	breakpoint and debug\$4 and (code with patching) and annotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN	OR	ON	2004/09/02 17:33
		÷	T; IBM_TDB			
S40	16	breakpoint and debug\$4 and (code with patching) and annotat\$4 and register	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2004/09/02 17:39
S41	3	breakpoint and debug\$4 and (code with patching) and annotat\$4 with register	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2004/09/02 17:33
S42	35	breakpoint and debug\$4 and (code with insert\$3) and annotat\$4 and register	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2004/09/02 17:39
S43	2	breakpoint and debug\$4 and (code with insert\$3 with breakpoint) and annotat\$4 and register	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2004/09/02 17:39
S44	14113	(PLT (procedure with linkage with table))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/04/18 11:30
S45	14113	(PLT OR (procedure with linkage with table))	US-PGPUB USPAT; EPO; JPO; DERWEN	OR	ON	2005/04/18 11:30
			T, IBM_TDB		9	,
S46	12	S45 and (substitut\$3 with code)	US-PGPUE USPAT; EPO; JPO; DERWEN T;	or Or	ON	2005/04/18 11:41

547		(procedure with shar\$3 with library) and stub and (substitut\$3 with code)	US-PGPUB; USPAT; EPO; JPO; DERWEN	OR	ON	2005/04/18 12:04	
		,	T; IBM_TDB			* *	
S48	411	(procedure with shar\$3 with library)	US-PGPUB; USPAT; EPO; JPO; DERWEN T;	.OR	ON	2005/04/18 11:42	
	* 1		IBM_TDB				
S49	6	S48 and (without same refer\$4 same table)	US-PGPUB; USPAT; EPO; JPO; DERWEN T;	OR	ON	2005/04/18 11:44	
			IBM_TDB				
S50	47	(link\$3 with code) and (link\$3 near2 table) and procedure and address and stub and (direct\$3 with (load\$3 OR memory OR reference))	US-PGPUB; USPAT; EPO; JPO; DERWEN	OR	ON	2005/04/18 11:47	
			T; IBM_TDB				
S51	. 16	S50 and (shar\$3 near librar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	·ON	2005/04/18 11:51	
	1554	1 I library	US-PGPUB;	OR	ON	2005/04/18 11:51	
S52	1554	shared near library	USPAT; EPO; JPO; DERWEN T;				
		to the mist was with table)	IBM_TDB US-PGPUB;	OR	ON	2005/04/18 11:51	
S53	· 0	S52 and (stub with without with table)	USPAT; EPO; JPO; DERWEN T; IBM_TDB				
S54	7	7 (stub with without with table)	US-PGPUB; USPAT; EPO, JPO;	OR	ON	2005/04/18 11:51	
	0	W.	DERWEN T; IBM_TDB				
S55	2	2 "6665671".pn.	US-PGPUB USPAT; EPO; JPO; DERWEN	OR .	ON	2005/04/18 12:18	
			T; IBM_TDB] .

					1		
S56	-	25	(direct\$3 adj load\$3) and (shared adj library)	US-PGPUB; USPAT;	OR	ON	2005/04/18 12:50
				EPO; JPO; DERWEN T;			
- 1				IBM_TDB		1	
S57		11	(direct\$3 adj load\$3) and (linkage adj table)	US-PGPUB; USPAT; EPO; JPO; DERWEN	OR	ON	2005/04/18 12:50
				Т,			
1 1				IBM_TDB US-PGPUB;	OR	ON	2005/04/18 15:17
S58		18	("20020120601" "4943913" "5428758" "5517628" "5737536" "5765037" "5802585" "5898872" "5950228"	USPAT; USOCR	·	J.	
*	•		"6275830" "6332214" "6412108" "6438673" "6499137" "6609130"				
S59		187	"6615340").PN. OR ("6665671").URPN. dll and (direct\$3 near load\$3)	US-PGPUB; USPAT;	OR	ON	2005/04/18 15:21
. 33				EPO; JPO; DERWEN T;			
				IBM_TDB	OR.	ON	2005/04/18 15:18
S60		5	S59 and breakpoint	US-PGPUB; USPAT; EPO; IPO;	OK	. Oil	2005/ 0 1/ 22
			0	DERWEN T;		-	
			and the second	IBM_TDB US-PGPUB	OR	ON	2005/04/18 15:23
S61		89	dll and (direct\$3 with address with reference)	USPAT; EPO; JPO;			
			*	DERWEN T; IBM_TDB			
S62		21	S61 and stub	US-PGPUB USPAT;	; OR	ON	2005/04/18 15:22
				EPO; JPO; DERWEN T;			
			×	IBM_TDB	OR	ON	2005/04/18 15:23
S63		42	(shared adj library) and (direct\$3 with address with reference)	US-PGPUE USPAT; EPO; JPO;	,	OIN	2003/01/10 10:22
3				DERWEN T;			
S64			5 S63 and (link\$3 near2 table)	US-PGPUI US-PGPUI USPAT; EPO; JPO DERWEN	3, OR	ON	2005/04/18 16:04
			*.	T; IBM_TDE	,		

					611	2005/04/18 16:05
665	2	(by\$1pass\$3 with PLT)	US-PGPUB; USPAT;	OR '	ON	2003/04/18 10:03
			EPO; JPO;			*
- 1		•	DERWEN			
			T; IBM TDB			
			· -	On ·	ON	2005/04/18 16:0
S66	4	(by\$1pass\$3 with linkage with table)	US-PGPUB; USPAT;	OR	ON	2005/ 01/ 11
			EPO; IPO;	1		
			DERWEN		1	
			T; IBM_TDB			